

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20050152413").PN.	US-PGPUB; USPAT	OR	OFF	2006/02/17 08:02
S3	70	(laser with (drive near2 circuit)) and (temperature near3 (control\$4 or compensat\$4)) and ((adjust\$4 or alignment) with pulse)	US-PGPUB; USPAT	AND	ON	2006/02/17 08:24
S4	126	(laser near3 diode) and (drive near2 (laser or circuit)) and (temperature near3 (control\$4 or compensat\$4)) and ((adjust\$4 or alignment) with pulse)	US-PGPUB; USPAT	AND	ON	2006/02/17 08:31
S5	10	(laser near3 diode) and (drive near2 (laser or circuit)) and (temperature near3 (control\$4 or compensat\$4)) and ((adjust\$4 or alignment) with pulse) and (bit near3 error\$1)	US-PGPUB; USPAT	AND	ON	2006/02/17 08:41
S9	2	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4)) and ((adjust\$4 or alignment) with pulse with width) and (bit near3 error\$1)	US-PGPUB; USPAT	AND	ON	2006/02/17 08:46
S6	5	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (control\$4 or compensat\$4)) and ((adjust\$4 or alignment) with pulse with width) and (bit near3 error\$1)	US-PGPUB; USPAT	AND	ON	2006/02/17 08:46
S10	3	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (control\$4 or compensat\$4)) and ((adjust\$4 or alignment) with pulse with width) and (burst near3 mode)	US-PGPUB; USPAT	AND	ON	2006/02/17 08:51
S7	60	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (control\$4 or compensat\$4)) and ((adjust\$4 or alignment) with pulse with width)	US-PGPUB; USPAT	AND	ON	2006/02/17 08:51
S8	22	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4)) and ((adjust\$4 or alignment) with pulse with width)	US-PGPUB; USPAT	AND	ON	2006/03/10 08:37
S12	32	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4)) and ((adjust\$4 or alignment) with pulse with (width or circuit))	US-PGPUB; USPAT	AND	ON	2006/03/10 08:38
S14	1	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4 or signal)) and ((adjust\$4 or alignment) with pulse with (width or circuit))	USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/10 08:39
S13	1	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4)) and ((adjust\$4 or alignment) with pulse with (width or circuit))	USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/10 08:39
S16	7	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4 near3 signal)) and ((adjust\$4 or alignment) with pulse with (width or circuit))	US-PGPUB; USPAT	AND	ON	2006/03/10 09:17
S18	15	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 compensat\$4) and ((adjust\$4 or alignment) with pulse with (width or circuit)) and "372"/\$.ccls.	US-PGPUB; USPAT	AND	ON	2006/03/10 09:18
S17	32	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 compensat\$4) and ((adjust\$4 or alignment) with pulse with (width or circuit))	US-PGPUB; USPAT	AND	ON	2006/03/10 09:22
S20	23	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 compensat\$4) and ((adjust\$4 or alignment) with pulse with width)	US-PGPUB; USPAT	AND	ON	2006/03/10 09:23
S23	11	((((yi near2 yang) or Yi-Yang) near2 chang).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/10 09:54
S2	9	((((yi near2 yang) or Yi-Yang) near2 chang).in.	US-PGPUB; USPAT	AND	ON	2006/03/10 09:54
S25	1	(laser near3 diode) and (driv\$3 near3 (laser or circuit)) and (width near2 pulse) and (temperature near3 compensat\$4) and "438"/\$.ccls.	US-PGPUB; USPAT	AND	ON	2006/03/10 09:57

EAST Search History

S24	1	(laser near3 diode) and (driv\$3 near3 (laser or circuit)) and (width near2 pulse) and (temperature near3 compensat\$4) and "257"/\$.ccls.	US-PGPUB; USPAT	AND	ON	2006/03/10 09:57
S22	48	(laser near3 diode) and (driv\$3 near3 (laser or circuit)) and (width near2 pulse) and (temperature near3 compensat\$4) and "372"/\$.ccls.	US-PGPUB; USPAT	AND	ON	2006/03/10 09:58
S21	154	(laser near3 diode) and (driv\$3 near3 (laser or circuit)) and (width near2 pulse) and (temperature near3 compensat\$4)	US-PGPUB; USPAT	AND	ON	2006/03/10 10:33
S28	8	("4381495" "4381497" "4590457" "4647906" "5481560" "5712636" "5764165" "6181266").PN. OR ("6593864").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/10 10:40
S27	4	(laser near3 diode) and (driv\$3 near3 (laser or circuit)) and ((width near2 pulse) same (temperature near3 compensat\$4) same (adjust\$4 or alignment))	US-PGPUB; USPAT	AND	ON	2006/03/10 10:49
S30	50	("4779985" "5288735" "5732095" "5659515" "5796668" "5818777" "5822270" "5859846" "5923595" "6111810" "6452849" "5675485" "5973568" "6172493" "6172519" "4458338" "4459539" "4497459" "4777623" "4810969" "4852080" "4958322" "5184055" "5293347" "5315557" "5363365" "5381112" "5384522" "5406132" "5408310" "5416740" "5467233" "5479093" "5491812" "5505670" "5519665" "5555522" "5563840" "5596533" "5606292" "5616971" "5638536" "5644202" "5646898" "5654665" "5701267" "5706230" "5739998" "5740182" "5740213").pn.	US-PGPUB; USPAT	OR	ON	2006/03/10 12:06
S11	49	((("4779985") or ("5288735") or ("5732095") or ("5659515") or ("5796668") or ("5818777") or ("5822270") or ("5859846") or ("5923595") or ("6111810") or ("6452849") or ("5675485") or ("5973568") or ("6172493") or ("6172519") or ("4458338") or ("4459539") or ("4497459") or ("4777623") or ("4810969") or ("4852080") or ("4958322") or ("5184055") or ("5293347") or ("5315557") or ("5363365") or ("5381112") or ("5384522") or ("5406132") or ("5408310") or ("5416740") or ("5467233") or ("5479093") or ("5491812") or ("5505670") or ("5519665") or ("5555522") or ("5563840") or ("5596533") or ("5606292") or ("5616971") or ("5638536") or ("5644202") or ("5646898") or ("5654665") or ("5701267") or ("5706230") or ("5739998") or ("5740182") or ("5740213").pn.))).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/10 12:06
S32	0	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4 or signal)) and (pulse with (width or circuit)) and S30	US-PGPUB; USPAT	AND	ON	2006/03/10 12:07
S31	0	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4 or signal)) and ((adjust\$4 or alignment) with pulse with (width or circuit)) and S30	US-PGPUB; USPAT	AND	ON	2006/03/10 12:07
S15	80	(laser near3 diode) and (drive near2 (laser or circuit or current)) and (temperature near3 (compensat\$4 or signal)) and ((adjust\$4 or alignment) with pulse with (width or circuit))	US-PGPUB; USPAT	AND	ON	2006/03/10 12:07
S26	106	S21 not S22	US-PGPUB; USPAT	AND	ON	2006/03/10 12:17
S29	17	(laser near3 diode) and (driv\$3 near3 (laser or circuit)) and ((width near2 pulse) same (temperature near3 compensat\$4))	US-PGPUB; USPAT	AND	ON	2006/03/13 07:59
L5	44	(laser near3 diode) and ((driv\$3 near3 (laser or circuit)) same (temperature near3 compensat\$4)) and (width near2 pulse)	US-PGPUB; USPAT	AND	ON	2006/03/13 08:00
L6	16	("5107362" "5390030").PN. OR ("5548435").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/03/13 08:03

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	1	((laser near3 diode) and ((driv\$3 near3 (laser or circuit)) same (temperature near3 compensat\$4)) and (width near2 pulse)); clm.	US-PGPUB	AND	ON	2006/03/13 09:06
L9	1	((laser near3 diode) and (driv\$3 near3 (laser or circuit)) and ((width near2 pulse) same (temperature near3 compensat\$4))). clm.	US-PGPUB	AND	ON	2006/03/13 09:06
L8	1	((laser near3 diode) and (driv\$3 near3 (laser or circuit)) and ((width near2 pulse) same (temperature near3 compensat\$4))). clm.	US-PGPUB; USPAT	AND	ON	2006/03/13 09:06
L7	1	((laser near3 diode) and ((driv\$3 near3 (laser or circuit)) same (temperature near3 compensat\$4)) and (width near2 pulse)); clm.	US-PGPUB; USPAT	AND	ON	2006/03/13 09:06